


# ZhongBo Industry and Mining Machinery Co.,Ltd



# ZHONGBO

CONVEYOR BELT →




Can be tailored for the customer

ZhongBo Conveyor belt, pulley, idler, frame

# MULTI-PLY FABRIC CONVEYOR BELT



Fabric Conveyor Belts are named according to different carcass: Nylon Conveyor Belt, EP Conveyor Belt, Cotton Conveyor Belt. The following standards are usually applied: GB7984/GB10822, DIN 22102, AS 1332, JISK6322, serving in opening mines, power stations, cement plants, coal mines, ports and metallurgical and chemical industries.



**NN BELT:** under condition of middle/ long distance. Heavy loading capacity, high speed, strong lash and high vulnerability.



**EP BELT:** under condition of middle/long distance, heavy loading capacity, high speed conveying, good flexing capacity, trough-ability, heat resistant, low lad elongation.



**CC BELT:** suitable for middle/ short distance conveying.

## TECHNICAL SPECIFICATIONS FOR REFERENCE:

Belt Type	Fabric Type	Single Fabric Strength (N/mm)	Single Fabric Thickness (mm)	Cover Thickness(mm)		Ply	Width Range (mm)	Length(m/Roll)
				Top Rubber	Bottom Rubber			
CC Belt	CC--56	56	1.10	3-16	0-10	3-12	300-7400	20-1000
NN Belt	NN100	100	0.70	3-16	0-10	2-10	300-7400	20-1000
	NN150	150	0.75					
	NN200	200	0.90					
	NN250	250	1.15					
	NN300	300	1.25					
	NN400	400	1.50					
EP Belt	EP100	100	0.75	3-16	0-10	2-8	300-7400	20-1000
	EP150	150	0.85					
	EP200	200	1.00					
	EP250	250	1.20					
	EP300	300	1.35					
	EP350	350	1.50					
	EP400	400	1.65					

**ZhongBo Industry and Mining Machinery Co.,Ltd**

ADD:Daqi Development Zone, Boye, Baoding, Hebei Province,China

MOB:0086-13501167106

Phone: 0086-312-8726525 / 8349111

Fax: 0086-311-8349868

E-mail: chinaconveyorbelt@yahoo.com

MSN: bd.lw@hotmail.com

Website: <http://www.china-conveyor-belt.com>

ZHONGBO